






Standard Drilling Head S1






Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-140-S1	14.0	8.1	QD140/149-16...D-..
QD-141-S1	14.1	8.1	
QD-142-S1	14.2	8.1	
QD-143-S1	14.3	8.1	
QD-144-S1	14.4	8.1	
QD-145-S1	14.5	8.1	
QD-146-S1	14.6	8.1	
QD-147-S1	14.7	8.1	
QD-148-S1	14.8	8.1	
QD-149-S1	14.9	8.1	
QD-150-S1	15.0	8.7	QD150/159-20...D-..
QD-151-S1	15.1	8.7	
QD-152-S1	15.2	8.7	
QD-153-S1	15.3	8.7	
QD-154-S1	15.4	8.7	
QD-155-S1	15.5	8.7	
QD-156-S1	15.6	8.7	
QD-157-S1	15.7	8.7	
QD-158-S1	15.8	8.7	
QD-159-S1	15.9	8.7	
QD-160-S1	16.0	9.3	QD160/169-20...D-..
QD-161-S1	16.1	9.3	
QD-162-S1	16.2	9.3	
QD-163-S1	16.3	9.3	
QD-164-S1	16.4	9.3	
QD-165-S1	16.5	9.3	
QD-166-S1	16.6	9.3	
QD-167-S1	16.7	9.3	
QD-168-S1	16.8	9.3	
QD-169-S1	16.9	9.3	



Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-170-S1	17.0	9.9	QD170/179-20...D-..
QD-171-S1	17.1	9.9	
QD-172-S1	17.2	9.9	
QD-173-S1	17.3	9.9	
QD-174-S1	17.4	9.9	
QD-175-S1	17.5	9.9	
QD-176-S1	17.6	9.9	
QD-177-S1	17.7	9.9	
QD-178-S1	17.8	9.9	
QD-179-S1	17.9	9.9	
QD-180-S1	18.0	10.5	QD180/189-25...D-..
QD-181-S1	18.1	10.5	
QD-182-S1	18.2	10.5	
QD-183-S1	18.3	10.5	
QD-184-S1	18.4	10.5	
QD-185-S1	18.5	10.5	
QD-186-S1	18.6	10.5	
QD-187-S1	18.7	10.5	
QD-188-S1	18.8	10.5	
QD-189-S1	18.9	10.5	
QD-190-S1	19.0	11.0	QD190/199-25...D-..
QD-191-S1	19.1	11.0	
QD-192-S1	19.2	11.0	
QD-193-S1	19.3	11.0	
QD-194-S1	19.4	11.0	
QD-195-S1	19.5	11.0	
QD-196-S1	19.6	11.0	
QD-197-S1	19.7	11.0	
QD-198-S1	19.8	11.0	
QD-199-S1	19.9	11.0	

Recommend S1 cutting head to be used for middle and high carbon steel, alloy steel, nodular cast iron (specially for less than 5D)

Standard Drilling Head S1






Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-200-S1	20.0	11.6	QD200/209-25-...D-..
QD-201-S1	20.1	11.6	
QD-202-S1	20.2	11.6	
QD-203-S1	20.3	11.6	
QD-204-S1	20.4	11.6	
QD-205-S1	20.5	11.6	
QD-206-S1	20.6	11.6	
QD-207-S1	20.7	11.6	
QD-208-S1	20.8	11.6	
QD-209-S1	20.9	11.6	
QD-210-S1	21.0	12.1	QD210/219-25-...D-..
QD-211-S1	21.1	12.1	
QD-212-S1	21.2	12.1	
QD-213-S1	21.3	12.1	
QD-214-S1	21.4	12.1	
QD-215-S1	21.5	12.1	
QD-216-S1	21.6	12.1	
QD-217-S1	21.7	12.1	
QD-218-S1	21.8	12.1	
QD-219-S1	21.9	12.1	
QD-220-S1	22.0	12.7	QD220/229-25-...D-..
QD-221-S1	22.1	12.7	
QD-222-S1	22.2	12.7	
QD-223-S1	22.3	12.7	
QD-224-S1	22.4	12.7	
QD-225-S1	22.5	12.7	
QD-226-S1	22.6	12.7	
QD-227-S1	22.7	12.7	
QD-228-S1	22.8	12.7	
QD-229-S1	22.9	12.7	



Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-230-S1	23.0	13.3	QD230/239-32-...D-..
QD-231-S1	23.1	13.3	
QD-232-S1	23.2	13.3	
QD-233-S1	23.3	13.3	
QD-234-S1	23.4	13.3	
QD-235-S1	23.5	13.3	
QD-236-S1	23.6	13.3	
QD-237-S1	23.7	13.3	
QD-238-S1	23.8	13.3	
QD-239-S1	23.9	13.3	
QD-240-S1	24.0	13.9	QD240/249-32-...D-..
QD-241-S1	24.1	13.9	
QD-242-S1	24.2	13.9	
QD-243-S1	24.3	13.9	
QD-244-S1	24.4	13.9	
QD-245-S1	24.5	13.9	
QD-246-S1	24.6	13.9	
QD-247-S1	24.7	13.9	
QD-248-S1	24.8	13.9	
QD-249-S1	24.9	13.9	
QD-250-S1	25.0	14.5	QD250/260-32-...D-..
QD-251-S1	25.1	14.5	
QD-252-S1	25.2	14.5	
QD-253-S1	25.3	14.5	
QD-254-S1	25.4	14.5	
QD-255-S1	25.5	14.5	
QD-256-S1	25.6	14.5	
QD-257-S1	25.7	14.5	
QD-258-S1	25.8	14.5	
QD-259-S1	25.9	14.5	
QD-260-S1	26.0	14.5	

Recommend S1 cutting head to be used for middle and high carbon steel, alloy steel, nodular cast iron (specially for less than 5D)

Standard Drilling Head S2






Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-080-S2	8.0	5.4	QD080/089-12-..D-..
QD-081-S2	8.1	5.4	
QD-082-S2	8.2	5.4	
QD-083-S2	8.3	5.4	
QD-084-S2	8.4	5.4	
QD-085-S2	8.5	5.4	
QD-086-S2	8.6	5.4	
QD-087-S2	8.7	5.4	
QD-088-S2	8.8	5.4	
QD-089-S2	8.9	5.4	
QD-090-S2	9.0	5.8	QD090/099-12-..D-..
QD-091-S2	9.1	5.8	
QD-092-S2	9.2	5.8	
QD-093-S2	9.3	5.8	
QD-094-S2	9.4	5.8	
QD-095-S2	9.5	5.8	
QD-096-S2	9.6	5.8	
QD-097-S2	9.7	5.8	
QD-098-S2	9.8	5.8	
QD-099-S2	9.9	5.8	
QD-100-S2	10.0	6.2	QD100/109-16-..D-..
QD-101-S2	10.1	6.2	
QD-102-S2	10.2	6.2	
QD-103-S2	10.3	6.2	
QD-104-S2	10.4	6.2	
QD-105-S2	10.5	6.2	
QD-106-S2	10.6	6.2	
QD-107-S2	10.7	6.2	
QD-108-S2	10.8	6.2	
QD-109-S2	10.9	6.2	



Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-110-S2	11.0	6.6	QD110/119-16-..D-..
QD-111-S2	11.1	6.6	
QD-112-S2	11.2	6.6	
QD-113-S2	11.3	6.6	
QD-114-S2	11.4	6.6	
QD-115-S2	11.5	6.6	
QD-116-S2	11.6	6.6	
QD-117-S2	11.7	6.6	
QD-118-S2	11.8	6.6	
QD-119-S2	11.9	6.6	
QD-120-S2	12.0	7.0	QD120/129-16-..D-..
QD-121-S2	12.1	7.0	
QD-122-S2	12.2	7.0	
QD-123-S2	12.3	7.0	
QD-124-S2	12.4	7.0	
QD-125-S2	12.5	7.0	
QD-126-S2	12.6	7.0	
QD-127-S2	12.7	7.0	
QD-128-S2	12.8	7.0	
QD-129-S2	12.9	7.0	
QD-130-S2	13.0	7.6	QD130/139-16-..D-..
QD-131-S2	13.1	7.6	
QD-132-S2	13.2	7.6	
QD-133-S2	13.3	7.6	
QD-134-S2	13.4	7.6	
QD-135-S2	13.5	7.6	
QD-136-S2	13.6	7.6	
QD-137-S2	13.7	7.6	
QD-138-S2	13.8	7.6	
QD-139-S2	13.9	7.6	

Recommend S2 cutting head to be used for grey iron cost, nodular cast iron

Standard Drilling Head S2






Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-140-S2	14.0	8.1	QD140/149-16...D-..
QD-141-S2	14.1	8.1	
QD-142-S2	14.2	8.1	
QD-143-S2	14.3	8.1	
QD-144-S2	14.4	8.1	
QD-145-S2	14.5	8.1	
QD-146-S2	14.6	8.1	
QD-147-S2	14.7	8.1	
QD-148-S2	14.8	8.1	
QD-149-S2	14.9	8.1	
QD-150-S2	15.0	8.7	QD150/159-20...D-..
QD-151-S2	15.1	8.7	
QD-152-S2	15.2	8.7	
QD-153-S2	15.3	8.7	
QD-154-S2	15.4	8.7	
QD-155-S2	15.5	8.7	
QD-156-S2	15.6	8.7	
QD-157-S2	15.7	8.7	
QD-158-S2	15.8	8.7	
QD-159-S2	15.9	8.7	
QD-160-S2	16.0	9.3	QD160/169-20...D-..
QD-161-S2	16.1	9.3	
QD-162-S2	16.2	9.3	
QD-163-S2	16.3	9.3	
QD-164-S2	16.4	9.3	
QD-165-S2	16.5	9.3	
QD-166-S2	16.6	9.3	
QD-167-S2	16.7	9.3	
QD-168-S2	16.8	9.3	
QD-169-S2	16.9	9.3	



Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-170-S2	17.0	9.9	QD170/179-20...D-..
QD-171-S2	17.1	9.9	
QD-172-S2	17.2	9.9	
QD-173-S2	17.3	9.9	
QD-174-S2	17.4	9.9	
QD-175-S2	17.5	9.9	
QD-176-S2	17.6	9.9	
QD-177-S2	17.7	9.9	
QD-178-S2	17.8	9.9	
QD-179-S2	17.9	9.9	
QD-180-S2	18.0	10.5	QD180/189-25...D-..
QD-181-S2	18.1	10.5	
QD-182-S2	18.2	10.5	
QD-183-S2	18.3	10.5	
QD-184-S2	18.4	10.5	
QD-185-S2	18.5	10.5	
QD-186-S2	18.6	10.5	
QD-187-S2	18.7	10.5	
QD-188-S2	18.8	10.5	
QD-189-S2	18.9	10.5	
QD-190-S2	19.0	11.0	QD190/199-25...D-..
QD-191-S2	19.1	11.0	
QD-192-S2	19.2	11.0	
QD-193-S2	19.3	11.0	
QD-194-S2	19.4	11.0	
QD-195-S2	19.5	11.0	
QD-196-S2	19.6	11.0	
QD-197-S2	19.7	11.0	
QD-198-S2	19.8	11.0	
QD-199-S2	19.9	11.0	

Recommend S2 cutting head to be used for grey iron cost, nodular cast iron

Standard Drilling Head S2



Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-200-S2	20.0	11.6	QD200/209-25...D-..
QD-201-S2	20.1	11.6	
QD-202-S2	20.2	11.6	
QD-203-S2	20.3	11.6	
QD-204-S2	20.4	11.6	
QD-205-S2	20.5	11.6	
QD-206-S2	20.6	11.6	
QD-207-S2	20.7	11.6	
QD-208-S2	20.8	11.6	
QD-209-S2	20.9	11.6	
QD-210-S2	21.0	12.1	QD210/219-25...D-..
QD-211-S2	21.1	12.1	
QD-212-S2	21.2	12.1	
QD-213-S2	21.3	12.1	
QD-214-S2	21.4	12.1	
QD-215-S2	21.5	12.1	
QD-216-S2	21.6	12.1	
QD-217-S2	21.7	12.1	
QD-218-S2	21.8	12.1	
QD-219-S2	21.9	12.1	
QD-220-S2	22.0	12.7	QD220/229-25...D-..
QD-221-S2	22.1	12.7	
QD-222-S2	22.2	12.7	
QD-223-S2	22.3	12.7	
QD-224-S2	22.4	12.7	
QD-225-S2	22.5	12.7	
QD-226-S2	22.6	12.7	
QD-227-S2	22.7	12.7	
QD-228-S2	22.8	12.7	
QD-229-S2	22.9	12.7	

Order No.	Dimensions(mm)		tool holders
	D	t	
			
QD-230-S2	23.0	13.3	QD230/239-32...D-..
QD-231-S2	23.1	13.3	
QD-232-S2	23.2	13.3	
QD-233-S2	23.3	13.3	
QD-234-S2	23.4	13.3	
QD-235-S2	23.5	13.3	
QD-236-S2	23.6	13.3	
QD-237-S2	23.7	13.3	
QD-238-S2	23.8	13.3	
QD-239-S2	23.9	13.3	
QD-240-S2	24.0	13.9	QD240/249-32...D-..
QD-241-S2	24.1	13.9	
QD-242-S2	24.2	13.9	
QD-243-S2	24.3	13.9	
QD-244-S2	24.4	13.9	
QD-245-S2	24.5	13.9	
QD-246-S2	24.6	13.9	
QD-247-S2	24.7	13.9	
QD-248-S2	24.8	13.9	
QD-249-S2	24.9	13.9	
QD-250-S2	25.0	14.5	QD250/260-32...D-..
QD-251-S2	25.1	14.5	
QD-252-S2	25.2	14.5	
QD-253-S2	25.3	14.5	
QD-254-S2	25.4	14.5	
QD-255-S2	25.5	14.5	
QD-256-S2	25.6	14.5	
QD-257-S2	25.7	14.5	
QD-258-S2	25.8	14.5	
QD-259-S2	25.9	14.5	
QD-260-S2	26.0	14.5	

Recommend S2 cutting head to be used for grey iron cost, nodular cast iron